



**成都亿佰特电子科技有限公司**  
Chengdu Ebyte Electronic Technology Co.,Ltd.

## TX433-FPC-4516 Product Data Sheet v1.0

### Product Introduction

TX433-FPC-4516



TX433-FPC-4516 is a 433MHz FPC internal antenna. Size of the antenna is 45\*16mm. With a IPX-I interface, it can be applied to such devices with frequency of 433MHz as wireless module, network devices.

### Other Parameters


TX433-FPC-4516

No.	Parameter item	Parameter details & Description
1	Size	45*16mm
2	Total Weight	1g
3	Material	FPC
4	Feeder Length	120mm
5	Interface	IPX-I
6	Working Temperature	-40℃~+85℃

### Physical Parameters

TX433-FPC-4516


No.	Parameter item	Parameter details & Description
1	Frequency	433MHz
2	Bandwidth	423-443MHz
3	Gain	2dBi
4	SWR	≤1.5
5	Polarization	Linear
6	Radiation Direction	Omnidirectional
7	Input Impedance	50Ω
8	Power Capacity	2W

**Size****TX433-FPC-4516****Testing****TX433-FPC-4516****1、VSWR**

## 2、Smith

▶ **ITP1** s11 smith (R+jX) Scale 1.0000

>1 433.00000 MHz 51.307 Ω 9.9481 Ω 3.6566 nH



### FAQ

### TX433-FPC-4516

- Antenna frequency shall be matched with that of the wireless devices, or the communication will be affected;
- Diffraction performance will be better with lower communication frequency and longer wave;
- Communication distance will be shorter if there is any straight-line barrier;
- Please be noted of the antenna radiation direction. Incorrect direction by installation will result in short communication distance;
- As radio wave may be absorbed by the ground, result will be affected if tested close to ground. It is suggested to test at a higher place;
- As radio wave can be highly absorbed by the ocean water, result will be affected if tested close to the sea;
- Signal will be seriously weakened if the antenna is put close to metal or inside metal shell;
- Lower impedance matching of antenna and communication devices will result in bad communication.



Chengdu Ebyte Electronic Technology Co., Ltd., a high-tech company focusing on application of Internet of Things, owns a number of independently researched and developed products and obtains unanimous approvals from customers. With a powerful R&D team, perfect after-sales system, our company provides perfect solutions and technical assistance, shortens R&D period, reduces R&D cost and provides a strong platform for brand new ideas about product R&D.

Our products have been widely applied in various fields, such as consumer electronics, industrial control, healthcare, security alarm, field acquisition, smart home, expressway, property management, water and electricity meter reading, power monitoring, etc.

## About us

Technical support: [support@cdebyte.com](mailto:support@cdebyte.com)

Documents and RF Setting download link: [www.ebyte.com](http://www.ebyte.com)

Thank you for using Ebyte products! Please contact us with any questions or suggestions: [sales@cdebyte.com](mailto:sales@cdebyte.com)

Fax: 028-64146160 ext. 821

Web: [www.ebyte.com](http://www.ebyte.com)

Address: Innovation Center D347, 4# XI-XIN Road, Chengdu, Sichuan, China

 **成都亿佰特电子科技有限公司**  
Chengdu Ebyte Electronic Technology Co.,Ltd.

