



TX170-JKD-20 Datasheet v1.0



Picture**TX170-JKD-20****Physical parameter****TX170-JKD-20**

No.	Parameter item	Parameter details & Description
1	Model	TX170-JKD-20
2	Size	Ø 13.0 * 200 mm
3	Average Weight	24 ± 1 g
4	Shape Feature	Flexible
5	Color	Black
6	Material	TPEE
7	Connector Type	SMA-J
8	Cable Length	-

Electrical parameter**TX170-JKD-20**

No.	Parameter item	Parameter details & Description
1	Frequency Range	148 ~ 173 MHz
2	Gain	3 dBi
3	SWR	≤ 1.5
4	Power Capacity	10 W
5	Input Impedance	50 Ω
6	Polarization Type	Vertical polarization
7	Radiation Direction	Omnidirectional

Dimension

TX170-JKD-20





Test report

TX170-JKD-20

【Testing Instrument】 : Agilent E5071C

【Test address】 : Chengdu Ebyte Electronic Technology Co.,Ltd.



About us

Technical support: support@cdebyte.com

Documents and RF Setting download link: www.cdebyte.com

Thank you for using Ebyte products! Please contact us with any questions or suggestions:

lirong@cdebyte.com

Phone: 028-61543675

Web: www.cdebyte.com

Address: Building B5, Mould Industrial Park, 199# Xi-Qu Ave, West High-tech Zone, Chengdu,
611731, Sichuan, China



Chengdu Ebyte Electronic Technology Co.,Ltd.